

CROWN & TIMBER
HERRINGBONE WOODEN FLOORING
STRANDWOVEN BAMBOO CORE FOR BETTER STRENGTH AND STABILITY




NATURAL WOOD BEAUTY, ENGINEERED OVER A
STRANDWOVEN BAMBOO CORE
WITH PRECISION UNILIN CLICK TECHNOLOGY

STRANDWOVEN BAMBOO CORE

HIGH DENSITY | STRONG | SUSTAINABLE



CLICK LOCK



WEST WOOD ENGINEERED WOOD

SPECIFICATION

PRODUCT	WEST WOOD
CORE	STRANDWOVEN BAMBOO
WEAR LAYER	OAK , 2MM
GRADE	AB
SIZE	L 600 MM X W 125MM X T 12MM
LOCK	CLICK UNILIN
FINISH	UV LACQUER , 35% GLOSSY
QTY/BOX	19.37 SQFT




- STRANDWOVEN BAMBOO CORE FOR EXCEPTIONAL STRENGTH & STABILITY
- UNILIN CLICK

ELEGANCE | STABILITY | EFFORTLESS INSTALLATION



SCARLET WOOD



SCARLET WOOD ENGINEERED WOOD

SPECIFICATION

PRODUCT	SCARLET WOOD
CORE	STRANDWOVEN BAMBOO
WEAR LAYER	OAK , 2MM
GRADE	AB
SIZE	L 600 MM X W 125MM X T 12MM
LOCK	CLICK UNILIN
FINISH	UV LACQUER , 35% GLOSSY
QTY/BOX	19.37 SQFT



- STRANDWOVEN BAMBOO CORE FOR EXCEPTIONAL STRENGTH & STABILITY
- UNILIN CLICK

ELEGANCE | STABILITY | EFFORTLESS INSTALLATION



NATURAL OAK



NATURAL OAK ENGINEERED WOOD

SPECIFICATION

PRODUCT	NATURAL OAK
CORE	STRANDWOVEN BAMBOO
WEAR LAYER	OAK , 2MM
GRADE	AB
SIZE	L 600 MM X W 125MM X T 12MM
LOCK	CLICK UNILIN
FINISH	UV LACQUER , 35% GLOSSY
QTY/BOX	19.37 SQFT




- STRANDWOVEN BAMBOO CORE FOR EXCEPTIONAL STRENGTH & STABILITY
- UNILIN CLICK

ELEGANCE | STABILITY | EFFORTLESS INSTALLATION



MOCHA WOOD



MOCHA WOOD ENGINEERED WOOD

SPECIFICATION

PRODUCT	MOCHA WOOD
CORE	STRANDWOVEN BAMBOO
WEAR LAYER	OAK , 2MM
GRADE	AB
SIZE	L 600 MM X W 125MM X T 12MM
LOCK	CLICK UNILIN
FINISH	UV LACQUER , 35% GLOSSY
QTY/BOX	19.37 SQFT



- STRANDWOVEN BAMBOO CORE FOR EXCEPTIONAL STRENGTH & STABILITY
- UNILIN CLICK

ELEGANCE | STABILITY | EFFORTLESS INSTALLATION